



Roofing Systems












KÖSTER TPO Accessories

from May 2024












Accessory Range

A complete range of accessories for KÖSTER TPO Roofing Membranes

Product image	Product name	Description
	RT 901 001  KÖSTER External Corner white, light grey, slate grey 90 degrees, height 10 cm	For the professional creation of external corners, 90°, length of edge 100 mm
	RT 901 003 KÖSTER External Corner universal	Wavy corner piece, diameter approx. 140 mm
	RT 902 001  KÖSTER Internal Corner white, light grey, slate grey 90 degrees, height 10 cm	For the professional creation of internal corners, 90°, length of edge 100 mm
	RT 902 003 KÖSTER Internal Corner universal	For the professional creation of internal corners
	RT 904 003 KÖSTER Anschlussmanschette 40/190 hellgrau	For the safe waterproofing of cable penetrations, inner diameter 40-175 mm, height 190 mm
	RT 905 001 RT 905 002 RT 905 003 RT 905 005 RT 905 006 KÖSTER Pipe Flashing 20/300 light grey	For the safe waterproofing of lightning protection cables and other cable penetrations, includes shrink tubing, inner diameter 10/20/30/42/50 mm, height 300 mm
	RT 101 065 KÖSTER PUR Membrane Adhesive	Adhesive for fleece membranes with fleece backing consumption: 160–450 g/m ²
	RT 104 001 KÖSTER 2C PUR Membrane Adhesive	Adhesive for bonding fleece backed KÖSTER TPO roofing membranes with an electrical cartridge gun. Required: max. 4 cartridge every 50 m ²
	RT 999 001 KÖSTER Hand press for KÖSTER 2C PUR Membrane Adhesive	Electrically operated lance / pistol for applying the KÖSTER 2C PUR Membrane Adhesive

A complete range of accessories for KÖSTER TPO Roofing Membranes

Product image	Product name	Description
	RT 102 004 KÖSTER Contact Adhesive 4.5 kg	Contact adhesive for details and connections with non-fleece backed KÖSTER TPO Membranes to non-TPO substrates. Consumption: 175–250 g / m ² per side
	RT 103 012 KÖSTER TPO SK Primer	Solvent based resin primer for the application of KÖSTER TPO SK (FR) Membranes Consumption: approx. 200 g/m ²
	RT 105 002 KÖSTER TPO Cleaner	Cleaner for KÖSTER TPO Roofing Membranes 2.5 l jerrycan
	RT 105 003 KÖSTER TPO Cleaning Tissue	For cleaning TPO membranes. 450 sheets per roll
	RT 920 075 C KÖSTER Vapor Barrier FR	Vapor barrier with low fire load according to the DIN 18234. fire class E, heating value < 10.500 KJ/m ² , Sd value of > 1500 m, approved as a temporary waterproofing means
	RT 925 001 KÖSTER Maintenance Walkway Mat	For creating safe protective walkways on flat roofs. Weldable with KÖSTER TPO roofing membranes (d: 4 mm; b: 590 mm; l: 785 mm)
	RT 927 010 KÖSTER Walkway Membrane grey	For creating foot access paths on flat roofs, hot air weldable with KÖSTER TPO Membranes (w: 1000 mm; l: 10 m)
 <div style="display: inline-block; vertical-align: middle; margin-left: 10px;">  </div>	RT 910 002 KÖSTER TPO Metal Composite Sheet white, grey, slate grey	One-sided TPO coated zinc plated metal sheet used to fabricate metal drip edges and other roofing edge profiles 1.00 x 2.00 m

Accessory Range

A complete range of accessories for KÖSTER TPO Roofing Membranes

Product image	Product name	Description
	RT 910 030 KÖSTER TPO Metal Composite Coil grey, white	As gutter flashing, coping, or drip edge with one-sided weld-able TPO coating 1 m x 30 m coil
	RT 915 023 KÖSTER Sanitary Vent DN 100* top *other DN possible on request	Sanitary fan with continuous pipe for insulating material thickness up to 300mm; with flanged TPO cuff and hood
	RT 915 024 KÖSTER Base for Sanitary Vent DN 100 *other DN possible on request	Sanitary Vent Base for insulated roofs DN 100
	RT 915 031 KÖSTER Gooseneck DN 100 180° PVC pipe *other DN possible on request	Accessories for KÖSTER Sanitary Vent DN 100 top
	RT 916 001 RT 916 002 KÖSTER Cold-Roof Vent with Cap NW 75 / 100	Roof vent light grey, with light grey cap
	RT 914 017 RT 914 018 KÖSTER Vertical Roof Drain - Basic Element DN100 / DN 125 (insulated) *other DN possible on request	Gravity drain basic element made of stainless steel, thermally insulated
	RT 914 019 S RT 914 020 S KÖSTER Vertical Roof Drain Add-on element DN 100 / DN 125 with TPO *other DN possible on request	Gravity drain made of stainless steel with flanged KÖSTER TPO sleeve, vertical; for insulation thicknesses 60-350 mm
	RT 914 032 KÖSTER Gravel trap emergency drainage	Stainless steel drain closed at the top for KÖSTER stainless steel roof drain as emergency drainage

A complete range of accessories for KÖSTER TPO Roofing Membranes

Product image

Product name

Description



RT 914 030
RT 914 031

KÖSTER Accumulation ring
DN75/DN100

For emergency drainage for KÖSTER stainless steel roof drain; Accumulation height 35 / 45 mm



RT 914 021 A
RT 914 022 A

KÖSTER Roof Drain Angled TPO
DN 75 / DN 100

Gravity drain made of stainless steel with flanged KÖSTER TPO sleeve, angled; Installation depth at least 100 mm



RT 915 002

KÖSTER Roof Drain
NW 100 light grey, white

TPO Roof drain with sealing sheet



RT 915 009

Galvanized leaf trap
NW 100

Leaf trap for roof drain



RT 914 033

KÖSTER Gravel trap universal

Plastic gravel trap with plug connection suitable for DN70/100/125/150



RT 917 001 B
RT 917 003 B

KÖSTER Attica Spout
120*60*300 mm
300*80*300 mm
*other DN possible on request


Rectangular attica spout, black



RT 917 010
RT 917 011

KÖSTER Water spout DN 70
75*480 mm
KÖSTER Water spout DN 100
110*480 mm
*other DN possible on request


Water spout PE, round, light grey, pipe length 480 mm
external diameter 75 mm / 110 mm



RT 918 001 B
RT 918 003 B

KÖSTER Emergency Overflow
120*60*300 mm
300*80*300 mm
*other DN possible on request

Spout as an emergency overflow PE black



RT 918 011

KÖSTER Emergency Overflow
DN 100
110*490 mm
*other DN possible on request

Emergency overflow, light grey, round DN 100, external diameter 110 mm, Pipe length 490 mm

Accessory Range

A complete range of accessories for KÖSTER TPO Roofing Membranes

Product image	Product name	Description
	W 200 008 W 200 025 KÖSTER MS-Flexfolie 8 kg and 25 kg	single component, solvent free, highly elastic, crack bridging waterproofing material based on MS Polymer technology.
	RT 109 001 KÖSTER TPO Primer for MS-Flexfolie	One-component, solvent-based primer to improve adhesion when using KÖSTER MS-Flexfolie on KÖSTER TPO roofing and waterproofing membranes
	W 412 010 W 412 030 KÖSTER Superfleece , 50 m roll, width 10 cm and 30 cm	High strength polyester nonwoven reinforcement fabric for liquid waterproofing products such as KÖSTER MS-Flexfolie.
	J 138 250 KÖSTER PU Primer 120	One component PU primer for non-porous surfaces. Primer for KÖSTER MS-Flexfolie and KÖSTER PU-Flex 25
	RT 919 004 KÖSTER Bar for membrane fastening	Width/Height/Length in mm 30/1.25/2400; holes 7+15 mm (Bundle = 10 piece)
	RT 919 003 KÖSTER Wall connection profile 60 mm	Finishing profile, aluminium, length 3 m, perforated
	RT 919 001 KÖSTER Edge for wall connection profile 60 mm PVC	KÖSTER PVC edge for KÖSTER wall connection profile
	RT 929 001 KÖSTER Weld Seam Tester	Weld seam tester for testing and inspection of seams on KÖSTER TPO Roofing Membranes
 Pic. similar	RT 990 003 RT 990 002 Automatic Welder 400 Volt LT Automatic Welder 400 Volt HR	Automatic welder 400 Volt 5700 Watts, 40 mm includes storage case

A complete range of accessories for KÖSTER TPO Roofing Membranes

Product image

Product name

Description

Pic. similar



RT 991 001 Automatic Welder 230 Volt LT
RT 991 004 Automatic Welder 230 Volt HR

Automatic welder 230 Volt 3680 Watt, 40 mm welding nozzle, brushless blower motor, includes storage case

Pic. similar



RT 992 001 Manual Welder 230 Volt LT
RT 992 002 Manual Welder 230 Volt HR

Triac AT, 230 Volt, 1600 Watts, wide slot nozzle 2 mm x 40 mm



RT 995 001 Wide Slot Nozzel 40 mm LT
RT 995 002 Wide Slot Nozzel 40 mm HR

Additional nozzle for hot-air hand tool



RT 997 001 **KÖSTER** Kehlfix for membranes 55mm wide

Hand tool for supporting and shaping fillets, corners and details.



RT 998 001 **KÖSTER** Silicone Hand Pressure Roller 40 mm

Silicone, ball bearing, one arm

For technical data please refer to the Technical Data Sheets found online at www.koster.eu

● ● ● ● White / Light grey / Black / Slate grey



We are there for you – worldwide.

Issued: 5/2024



// Contact us

KÖSTER BAUCHEMIE AG
Dieselstraße 1-10
D-26607 Aurich
Tel.: +49 4941 9709 0
E-Mail: info@koster.eu

www.koster.eu

Follow us on social media:



KÖSTER
Waterproofing Systems



DEUTSCHE
BAUCHEMIE

